


Introductory Chemistry
Chem 103

Chapter 1 – Foundations

Lecture Slides



Kevin Revell




Are chemicals a
good or bad thing?


People often have a very narrow view of chemicals, thinking of them only as dangerous poisons or pollutants.



Chemicals compose ordinary things, too.



**Food is a mixture
of chemicals**



Chemistry – Part of Everything You Do



As you experience the world around you, chemicals are interacting to create your reality.



CLASS ACTIVITY

Provide an example of chemistry
in your everyday life.

You can not repeat a previous answer.



Describing Matter

Matter anything that has mass and takes up volume



Courtesy David Revell

Composition and Structure

Composition

What something is made of

Structure

*What something is made of
and*


How the components are arranged



Left to Right: YmYang/iStock/Getty Images; Joel Blit/Shutterstock; David Lee/Shutterstock

Pure Substances: Elements and Compounds

Atom: the fundamental unit of matter



Revell, *Introductory Chemistry*,
2e, © 2021 W. H. Freeman
and Company




Left and Right: Duncan Chard/Bloomberg via Getty Images;
sumire8/Shutterstock

Element: made of only one type of atom

Compounds and Molecules


Compounds: composed of more than one element,
bound in fixed ratios

Molecules: groups of atoms that bind tightly together,
and behave as a single unit




Revell, *Introductory Chemistry*, 2e, © 2021
W. H. Freeman and Company

Diatomc Molecules



Some elements, such as hydrogen, nitrogen, and oxygen also exist as diatomic (two atom) molecules. For example, this image shows four molecules of oxygen. Each molecule contains two oxygen atoms bound together.

Composition of Materials



Reilly, Introductory Chemistry, 2e, © 2021 W.H. Freeman and Company
REKHC1980/Getty Images


Mixtures

Contain more than one substance, not bound in a fixed ratio.



man and Company
i-Images/Newscom

Bronze:
A mixture of copper and tin



Revels, Introductory Chemistry

Homogeneous and Heterogeneous Mixtures

Homogeneous mixtures – components mix evenly.

Heterogeneous mixtures – components do not mix evenly.



Science Source

Homogeneous mixture
Salt mixes evenly with water




Science Source

Heterogeneous mixture
Sand separates from water

Other mixtures...




e_rik/Shutterstock



©1995 Michael Dalton/Fundamental Photographs, NYC



Chursina Viktoria /Shutterstock




Greg Kushnerek/Shutterstock

Separating Mixtures:



© 1989 Chip Clark/Fundamental Photographs, NYC

Defining Matter



Left to right: sunniva/Shutterstock; Sheri J. 3/pick/Shutterstock; © 1995 Michael Dalton/Fundamental Photographs, NYC

Three States of Matter

Solid Definite shape, definite volume




Liquid Definite volume, but no definite shape




Gas No definite shape or volume

Transitions Between Three States of Matter



Particle Arrangement

The behavior of any substance is determined by the arrangement of the particles that compose the substance.



Properties and Changes, Part 1


Physical Properties Can be measured without changing the identity of the substance



mass
volume
temperature
color
hardness




Properties and Changes, Part 2

Physical Changes Don't change the identity of the substance



Physical Changes

Phase changes are physical changes.



Properties and Changes

Chemical Properties: Can NOT be measured without changing the identity of the substance.

Chemical Changes: Change the identity of the substance - also called *chemical reactions*.



Elements combine to form compounds: a chemical change.




Macmillan Learning



A change that forms new compounds: a chemical change.



Chepko Danil Vitalevich / Shutterstock



Properties and Changes

Chemical -

Change the identity of a substance.



Physical -

Do NOT change the identity of a substance




Energy and Change

Energy: The ability to do work

Potential energy: Energy that is stored

Kinetic energy: The energy of motion



Heat Energy

Heat energy: involves the kinetic energy of the particles in a substance



Physical and chemical changes involve changes in energy.

Moving from higher energy to lower energy



Moving from lower energy to higher energy



Energy Changes


Energy stored
A tree grows by absorbing energy from the sun to convert carbon dioxide and water into plant material.



Energy released
Fire releases the stored potential energy as heat, converting the plant material back into carbon dioxide and water.


Revell, *Introductory Chemistry*, 2e, © 2021 W. H. Freeman and Company
Left and Right:Morey Millbradt/Getty Images; Evgeny Dubinchuk/Shutterstock

High Energy or Stable?



© D. Allen Photography/age-fotostock

Potential Energy




Exothermic and Endothermic Change

Exothermic change: releases heat energy

Endothermic change: absorbs heat energy



The Scientific Method




Revell, Introductory Chemistry, 2e, © 2021
W. H. Freeman and Company

hypothesis: A tentative explanation that has not been tested.

theory: An idea supported by experimental evidence,
or a *paradigm*, or way of thinking about a topic.

scientific law: A statement that describes observations
that are true in widely varying circumstances.

The Scientific Method, Continued



Revell, Introductory Chemistry, 2e, © 2021
W. H. Freeman and Company

Theories

How or Why it happens

Laws

What happens

Scientific Communication



Scientists communicate findings through scientific papers.



inga spence/Alamy age; Courtesy of Dr. Susan Band Horwitz

Proc. Natl. Acad. Sci. USA
Vol. 77, No. 3, pp. 1561–1565, March 1980
Cell Biology

Taxol stabilizes microtubules in mouse fibroblast cells

(cell cycle/cytoskeleton/cell migration/antimitotic agents)

PETER B. SCHIFF AND SUSAN BAND HORWITZ

Departments of Cell Biology and Molecular Pharmacology, Albert Einstein College of Medicine, Bronx, New York 10461

Communicated by Harry Eagle, December 18, 1979

ABSTRACT Taxol, a potent inhibitor of human HeLa and mouse fibroblast cell replication, blocked cells in the G₂ and M phase of the cell cycle and stabilized cytoplasmic microtubules. The cytoplasmic microtubules of taxol-treated cells were visualized by transmission electron microscopy and indirect im-

0.5% or less, a concentration that had no effect on control re-actions.

Cells, HeLa (human) cells, strain S₃, were grown in suspen-sion culture in Joklik's modified Eagle's minimal essential

Revelle/Introductory Chemistry, 2e, © 2021 W. H. Freeman and Company

Scientists




Clockwise from upper left: Sovfoto/Getty Images; OLGA SHALYGIN/AP Images; Omar M. Yaghi Research group at University of California Berkeley; Dr. Adam Kiefer/Mercer University; Dr. Adam Kiefer/Mercer University; Dr. Lauren Richards Waugh; Yareli Jáidar, CNCPC-INAH; Copyright Eli Lilly and Company. All rights Reserved. Used with Permission; Copyright Eli Lilly and Company. All rights Reserved. Used with Permission; Copyright 2016 Murray State University. All rights reserved.

Introductory Chemistry

Chem 103

Chapter 2 – Measurement

Lecture Slides



Large and Small Measurements



Photo credit: Tetra Images/Getty Images

Earth to the Sun:
149,600,000,000 meters



Hydrothermal worm:
0.0005 m

Photo credit: Philippe Crassous/FEI/REX/Shutterstock

Scientific Notation

$$2.14 \times 10^{-3}$$

coefficient

multiplier

exponent

Exponential Notation

$$\rightarrow 10^3 = 10 \times 10 \times 10 = 1,000.$$

$$\rightarrow 10^2 = 10 \times 10 = 100.$$

$$\rightarrow 10^1 = 10 = 10.$$

$$\rightarrow \quad 10^0 \quad = \quad 1 \quad = \quad 1.$$

$$\rightarrow 10^{-1} = \frac{1}{10} = 0.1$$

$$\rightarrow \quad 10^{-2} \quad = \quad \frac{1}{10 \times 10} \quad = \quad 0.01$$

$$\rightarrow 10^{-3} = \frac{1}{10 \times 10 \times 10} = 0.001$$

Examples of Exponential Notation

$$5.1 \times 10^3 = 5100.$$

$$5.1 \times 10^2 = 510.$$

$$5.1 \times 10^1 = 51.$$

$$5.1 \times 10^0 = 5.1$$

$$5.1 \times 10^{-1} = 0.51$$

$$5.1 \times 10^{-2} = 0.051$$

$$5.1 \times 10^{-3} = 0.0051$$

Going from Standard to Scientific Notation:

$$2,500,000 \text{ L} = 2.5 \times 10^6 \text{ L}$$

move 6 digits

$$137,000,000,000 \text{ J} = 1.37 \times 10^{11} \text{ J}$$

move 11 digits

$$0.000000142 \text{ g} = 1.42 \times 10^{-7} \text{ g}$$

move 7 digits (right)

$$0.000326 \text{ cm} = 3.26 \times 10^{-4} \text{ cm}$$

move 4 digits (right)

Going from Scientific to Standard Notation:

$$\rightarrow 1.528 \times 10^5 \text{ kg} \quad 1.\underbrace{52800}_{\text{w}} \quad = 152,800 \text{ kg}$$

$$\rightarrow 1.64 \times 10^7 \text{ L} \quad 1.\underbrace{6400000}_{\text{w}} \quad = 16,400,000 \text{ L}$$

$$\rightarrow 1.35 \times 10^{-5} \text{ m} \quad \underbrace{00001}_{\text{w}}.\underbrace{35}_{\text{e}} \quad = 0.0000135 \text{ m}$$

$$\rightarrow 8.28 \times 10^{-3} \text{ g} \quad \underbrace{008}_{\text{w}}.\underbrace{28}_{\text{e}} \quad = 0.00828 \text{ g}$$

Calculations Involving Scientific Notation, Example 1

multiplication

$$3.1 \times 10^4 \times 2.0 \times 10^2 = 6.2 \times 10^6$$

add exponents
multiply coefficients

Calculations Involving Scientific Notation, Example 2

division

$$\frac{8.4 \times 10^7}{2.0 \times 10^3} = 4.2 \times 10^4$$

divide coefficients *subtract exponents*


Calculations Involving Scientific Notation, Example 3

$$2.5 \times 10^4 \times 6.0 \times 10^8 = 15 \times 10^{12}$$

increase exponent
move 1 digit

$$= 1.5 \times 10^{13}$$

Using a Calculator For Scientific Notation:



EE

E

Exp

" $\times 10^{-}$ "


$$1.53 \times 10^{16}$$

1.53 EE 16

Photo credit: Kevin Revell

Measurement and Units

units of measurement Quantities with accepted values that can be communicated between people.



Measurement and Units, Continued




Photo credits clockwise from top left: Kevin Revell; Maisie Paterson/Getty Images; Charles Brutlag/Shutterstock; Kevin Revell

Units

Common English and Metric Units

Measurement	Metric Unit	English Unit	Relationship
Length	meter (m)	foot (ft)	1 m = 3.280 ft
		mile (mi)	1 km = 0.621 mi
Mass or Weight	kilogram (kg)	pound (lb)	1 kg = 2.204 lb
Volume	liter (L)	gallon (gal)	1 liter = 0.264 gal

Units, Continued

Fundamental Units

Measurement	Unit
Mass	kilogram (kg)
Length	meter (m)
Time	second (s)
Temperature	kelvin (K)
Light Intensity	candela (cd)
Electric current	ampere (A)
Amount	mole (mol)

Derived Units

Measurement	Units
Volume	m^3
Velocity	m/s
Density	kg/m^3

Metric Prefixes

Table 2.5 Common Metric Prefixes

Prefix	Symbol	Meaning	
Tera-	T	10^{12}	1,000,000,000,000
Giga-	G	10^9	1,000,000,000
Mega-	M	10^6	1,000,000
Kilo-	k	10^3	1,000
Deci-	d	10^{-1}	$\frac{1}{10}$
Centi-	c	10^{-2}	$\frac{1}{100}$
Milli-	m	10^{-3}	$\frac{1}{1,000}$
Micro-	μ	10^{-6}	$\frac{1}{1,000,000}$
Nano-	n	10^{-9}	$\frac{1}{1,000,000,000}$
Pico-	p	10^{-12}	$\frac{1}{1,000,000,000,000}$

160,000,000 bits

= 160 megabits

0.0000032 grams

= 3.2×10^{-6} grams

= 3.2 micrograms

Using Common Metric Prefixes

1. How many meters are in a kilometer?

$$1 \text{ km} = 1,000 \text{ m}$$

2. How many A are in a MA?

$$1 \text{ MA} = 1,000,000 \text{ A}$$

3. How many mg are in a g?

$$1 \text{ mg} = \frac{1}{1,000} \text{ g}$$

$$1,000 \text{ mg} = 1 \text{ g}$$

Table 2.5 Common Metric Prefixes

Prefix	Symbol	Meaning	
Mega-	M	10^6	1,000,000
Kilo-	k	10^3	1,000
Milli-	m	10^{-3}	$\frac{1}{1,000}$

Describing the Quality of Measurements



Photo credit: James A. Prince/Science Source

Precision and Accuracy

Accuracy

- How reliable are the measurements?
- Do they reflect the true value?



± 0.0001 g

Precision


- How finely are the measurements made?
- How closely are they grouped together?



± 0.1 kg


Precision and Accuracy, Continued

accurate
and precise



precise
not accurate

accurate
not precise




not precise
not accurate

Significant Digits

We can estimate *one digit* between the marked values.

Significant digits: Indicate how precisely we know a measurement



Identifying Significant Digits, Part 1

1. All nonzero digits are significant, and all zeros between nonzero digits are significant.

1.2571 g
5 sig. digits

1.1052 cm
5 sig. digits

2. If a decimal point is present, zeros to the right of the last nonzero digit are significant.

5.01 g
5.00 g 3 sig. digits
4.99 g

Identifying Significant Digits, Part 2

3. Zeros to the left of the nonzero numbers are never significant.

000012 kg
not significant *2 sig. digits*

0.0045 m
not significant *2 sig. digits*

How many significant digits are in 4.5 mm? 2

$$4.5 \text{ mm} = \underline{0.0045} \text{ m}$$

Place holders for the decimal

Identifying Significant Digits, Part 3

4. If there is no decimal point present, zeros to the right of the last nonzero *may* or *may not* be significant.

\$ 11,000,000

\$ 9,000,000

\$ 10,000,000

?

\$ 10,001,000

\$ 9,999,000

Defining Significant Digits for Large Numbers

$$10,000 \text{ kg} \left[\begin{array}{l} 10,000 \pm 100 \text{ kg} \\ 1.00 \times 10^4 \text{ kg} \end{array} \right]$$

3 sig. digits

Summary of Significant Digits

Significant digits show the precision of a measured quantity.

- Significant:
 - nonzeros 1.2571 g
 - zeros between nonzeros 1.1052 cm
 - zeros after the decimal point 1.100 mm
- Not Significant
 - zeros to the left of all nonzeros 000023 L
0.0031 mg
- May be Significant
 - zeros to the right of nonzeros with no decimal 47,000,000 kg

Exact Numbers

Values for which there is no uncertainty

- Counted Values




Exactly 7 pennies

- Defined Values

$$1,000 \text{ mg} = 1 \text{ g}$$

$$3 \text{ feet} = 1 \text{ yard}$$


Calculations with Significant Digits



Revel, Introductory Chemistry, 2e, © 2021
W.H. Freeman and Company

2.6 cm
2.7 cm
2.8 cm
estimated

Example: What is the circumference of the ball?



$$\text{Circumference} = \pi d$$

Diameter	Calculated Circumference	
2.6 cm	8.16814090 cm	
2.7 cm	8.48230016 cm	8.5 cm
2.8 cm	8.79645943 cm	

Multiplication and Division with Significant Digits

- When multiplying or dividing, report the same number of digits as are in the least precise starting measurement.

A vehicle travels 315.3 miles in the span of 5.2 hours.
What is its average speed, in miles per hour?

$$\begin{array}{r} 315.3 \text{ miles} \\ \hline 5.2 \text{ hours} \end{array} \quad \begin{aligned} &= 60.\cancel{6}3461538 \\ &= 61 \text{ miles/hour} \end{aligned}$$

4 sig. digits
2 sig. digits

Addition and Subtraction with Significant Digits

- When adding or subtracting, round to the last decimal place of the least precise starting measurement.

While training for a triathlon, you swim 0.432 miles, then bike 18.1 miles. What was your total distance traveled?

$$\begin{array}{r} \text{Swim } 0.432 \text{ mi.} \\ + \text{ Bike } 18.1 \text{ mi.} \\ \hline = 18.532 \text{ mi.} \\ = 18.5 \text{ mi.} \end{array}$$

Rounding Calculations with Significant Digits

If a calculation involves multiple steps, wait until the end to round to significant digits.

Example with Significant Digits

A chemist measures the mass of chloride in three water samples, as shown in the table. Together, the three samples have a volume of 2.31 liters. What is the average mass of chloride per liter of water? Answer to significant digits.

Sample	Mass of Chloride
A	15.21 mg
B	9.33 mg
C	11.329 mg

total mass chloride:

$$\begin{array}{r} 15.21 \text{ mg} \\ 9.33 \text{ mg} \\ 11.329 \text{ mg} \\ \hline 35.869 \text{ mg} \end{array}$$

$$= 35.87 \text{ mg}$$

4 sig. digits

$$\frac{\text{total mass}}{\text{volume}}$$

Use unrounded mass

$$= \frac{35.869 \text{ mg}}{2.31 \text{ L}}$$

4 sig. digits

$$= 15.52770563$$

3 sig. digits

$$= 15.5 \text{ mg/L}$$

Unit Conversions

Currency	Bank Buys Notes	Bank Sells Notes
USA US Dollar	34.10	35.50
Singapore Singapore Dollar	24.88	25.98
Japan	26.99	29.40


Balikoo/Shutterstock



Photo credit clockwise from top: nickchen/Shutterstock ; eye35 / Alamy

Unit Conversions: Dimensional Analysis, Example 1

Whatever we do to the number, we also do to the units.



$$10 \text{ ft} \times 10 \text{ ft} = 100 \text{ ft}^2$$

multiply number
multiply units



$$15.0 \text{ mL} \times \frac{1.02 \text{ mg}}{1 \text{ mL}} = 15.3 \text{ mg}$$

Unit Conversions: Dimensional Analysis, Example 2

A copper pellet has a mass of 0.281 kg. What is this mass in grams?

$$1 \text{ kg} = 1,000 \text{ g}$$

$$\frac{1 \text{ kg}}{1,000 \text{ g}} = 1 \quad \text{or} \quad \frac{1,000 \text{ g}}{1 \text{ kg}} = 1$$

conversion factors

$$0.281 \text{ kg} \times \frac{1,000 \text{ g}}{1 \text{ kg}} = 281 \text{ g}$$

starting unit (kg) conversion factor ending unit (g)

Unit Conversions: Dimensional Analysis, Example 3

How many inches are in 326 cm?

$$2.54 \text{ cm} = 1 \text{ inch}$$

$$\frac{2.54 \text{ cm}}{1 \text{ inch}} \quad \text{or} \quad \frac{1 \text{ inch}}{2.54 \text{ cm}}$$

starting unit \times conversion factor = ending unit
(cm) \qquad (inches)

$$326 \cancel{\text{cm}} \times \frac{1 \text{ inch}}{2.54 \cancel{\text{cm}}} = 128 \text{ inches}$$

$$326 \text{ cm} \times \frac{2.54 \text{ cm}}{1 \text{ inch}} = 828 \frac{\text{cm}^2}{\text{inch}} \quad \times \quad \text{wrong units}$$

Unit Conversions: Dimensional Analysis, Example 4

The speed of light in a vacuum is $3.00 \times 10^8 \text{ m/s}$. What is this speed in miles per hour?


$$1 \text{ mile} = 1609.3 \text{ meters}$$

$$1 \text{ hour} = 3600 \text{ seconds}$$

$$3.00 \times 10^8 \frac{\cancel{\text{m}}}{\cancel{\text{s}}} \times \frac{1 \text{ mi}}{1609.3 \cancel{\text{m}}} \times \frac{3600 \cancel{\text{s}}}{1 \text{ hr}} = 6.71 \times 10^8 \frac{\text{mi}}{\text{hr}}$$

meters seconds
to miles to hours

Units of Volume



$$10 \text{ cm} \times 10 \text{ cm} \times 10 \text{ cm} = 1,000 \text{ cm}^3$$

Revel, Introductory Chemistry, 2e, © 2021
W. H. Freeman and Company

Volume Sizes

m^3



cm^3

dm^3



Top: Yury_Arcus/gettyimages; bottom left: natalia29/Shutterstock; right: Blend Images/Brand X Pictures/Getty Images

Volume Sizes, Continued

liter (L):

$$1 \text{ L} = 1 \text{ dm}^3$$



Maja Pivk/Shutterstock



Fofolmer/Shutterstock

milliliter (mL)

$$1 \text{ milliliter} = 1 \text{ cubic centimeter}$$

$$1 \text{ mL} = 1 \text{ cm}^3$$



id:foto/Shutterstock

Cubic Decimeters and Cubic Meters

How many cubic decimeters are in one cubic meter?

$$1 \text{ m} = 10 \text{ dm}$$

$$(1 \text{ m})^3 = (10 \text{ dm})^3$$

$$1 \text{ m}^3 = 1,000 \text{ dm}^3$$

Cubic Centimeters and Cubic Meters

How many cubic centimeters are in one cubic meter?

$$1 \text{ m} = 100 \text{ cm}$$

$$(1 \text{ m})^3 = (100 \text{ cm})^3$$

$$1 \text{ m}^3 = 1,000,000 \text{ cm}^3$$

Example, Multiple Unit Conversions

A hospital administers an IV fluid at a rate of 95.0 cm^3 per hour.
How many liters of this fluid does the patient receive per day?

Volume

$$1 \text{ cm}^3 = 1 \text{ mL}$$

$$1,000 \text{ mL} = 1 \text{ L}$$

$$1,000 \text{ cm}^3 = 1 \text{ L}$$

Time

$$24 \text{ hr} = 1 \text{ day}$$

$$95.0 \frac{\text{cm}^3}{\text{hr}} \times \frac{1 \text{ L}}{1000 \frac{\text{cm}^3}{\text{L}}} \times \frac{24 \text{ hr}}{1 \text{ day}} = 2.28 \frac{\text{L}}{\text{day}}$$

cm³
to liters hours
 to days

Relating mass and volume: density



Left: Kirechyan/Dmitry/Shutterstock; right: givewalk/Shutterstock

Density

$$\text{density} = \frac{\text{mass}}{\text{volume}}$$

$$d = \frac{m}{V}$$

Density Examples



© iStock collection/Alamy



Courtesy of Gary Deaton

Density, Example 1

A saltwater solution has a mass of 11.29 g, and a volume of 10.4 mL.
What is the density of this solution?

$$d = \frac{m}{V} = \frac{11.29 \text{ g}}{10.4 \text{ mL}} = 1.09 \text{ g/mL}$$

Density, Example 2

An antifreeze mixture has a density of 1.06 g/mL. If you measure out 600.0 g of this solution, what volume will it occupy?

$$d = \frac{m}{V}$$

$$V = \frac{m}{d}$$

$$V = \frac{600.0 \cancel{g}}{1.06 \frac{\cancel{g}}{mL}} = 566 \text{ mL}$$

Density, Example 3

Aluminum has a density of 2.70 g/cm³. What is the mass of a block of aluminum with a volume of 1.32 L?

$$d = \frac{m}{V}$$

$$1 \text{ cm}^3 = 1 \text{ mL}$$

$$1,000 \text{ cm}^3 = 1 \text{ L}$$

$$m = dV$$

$$1.32 \cancel{L} \times \frac{1000 \text{ cm}^3}{1 \cancel{L}} = 1320 \text{ cm}^3$$

$$m = (2.70 \frac{\cancel{g}}{\text{cm}^3})(1320 \cancel{\text{cm}^3})$$

$$m = 3,560 \text{ g}$$


Densities of Common Materials

Table 2.6 Densities of Common Materials

Material	Density (g/cm ³)
Aluminum	2.70
Titanium	4.51
Iron	7.87
Copper	8.96
Lead	11.34
Gold	19.31
Water*	1.00
Seawater*	1.02
Air*	0.001


*At 25°C and standard atmospheric pressure

Will it Float or Sink?



Density, Example 4

A rectangular object measures $3.0\text{ cm} \times 2.0\text{ cm} \times 1.0\text{ cm}$ and has a mass of 7.2 g. What is the density of this object? Will it float in water?




$$\begin{aligned}V &= \text{length} \times \text{width} \times \text{height} \\&= 3.0\text{ cm} \times 2.0\text{ cm} \times 1.0\text{ cm} \\&= 6.0\text{ cm}^3\end{aligned}$$


$$d = \frac{m}{V} = \frac{7.2\text{ g}}{6.0\text{ cm}^3} = 1.2\text{ g/cm}^3$$

more dense than water - will not float

Converting Between Temperature Units




Fahrenheit and Celsius



$$^{\circ}\text{F} = \frac{9}{5}^{\circ}\text{C} + 32$$


$$^{\circ}\text{C} = \frac{5}{9}(^{\circ}\text{F} - 32)$$

The Three Temperature Scales



Revelle, Introductory Chemistry, 2e, © 2021 W.H. Freeman and Company

Freezing Point on the Three Temperature Scales



$$K = ^\circ C + 273.15$$

“32 degrees Fahrenheit”

“0 degrees Celsius”

“273 kelvins”

Temperature Calculation

A refrigerator maintains an inside temperature of 42 °F.
Express this temperature in Celsius and in kelvins.

$$^\circ C = \frac{5}{9} (^\circ F - 32)$$

$$^\circ C = \frac{5}{9} (42 - 32) = 5.6 \ ^\circ C$$

$$K = ^\circ C + 273.15$$


$$K = 5.6 + 273.15 = 278.75 \text{ K} = 278.8 \text{ K}$$

Introductory Chemistry

Chem 103


Chapter 3 – Atoms

Lecture Slides




Kevin Revell

Atoms



Revell, Introductory Chemistry, 2e, © 2021 W. H. Freeman and Company
Photo: eifred/depositphotos.com

400 B.C.E. - Democritus





Leemage/Universal Images Group/Newscom

atomos – “indivisible”

Law of Conservation of Mass

Antoine Lavoisier (1743-1794)

In chemical reactions,
matter is neither created or destroyed.



Example of the Law of Conservation of Mass

If 16.0 grams of methane react with 64.0 grams of oxygen, 36.0 grams of water are produced. How many grams of carbon dioxide are produced in this reaction?



$$16.0 \text{ g} + 64.0 \text{ g} = \underline{\quad 44.0 \text{ g} \quad} + 36.0 \text{ g}$$




Chepko Danil/Vitalevich/Shutterstock

Origins of Atomic Theory

John Dalton (1766-1844)

- Elements are made of tiny, indivisible particles called atoms
- The atoms of each element are unique.
- Atoms can join together in whole-number ratios to form compounds.
- Atoms are unchanged in chemical reactions.




Photos.com/Getty Images

Understanding Atomic Theory



© pashapixel / depositphotos.com




Revell, Introductory Chemistry, 2e,
© 2021 W. H. Freeman and
Company

Three Foundational Ideas


1. All matter is composed of atoms.
2. The atoms of each element have unique characteristics and properties.
3. In chemical reactions, atoms are not changed, but combine in whole-number ratios to form compounds.

Can we see atoms?



AP Images


Scientists use X-ray crystallography to visualize the arrangement of atoms




Revell, Introductory Chemistry, 2e, © 2021 W.H. Freeman and Company

PDB ID: 1GZX
Paoli et al., 2002

Periodic Table of the Elements



Mendeleev



Periodic Table of the Elements, Continued

		Periodic Table of the Elements																						
		Periodic Table of the Elements																						
		Periodic Table of the Elements																						
		1A	2A	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18					
		1 H 1.01	2 He 4.00	3 Li 6.94	4 Be 9.01	5 Na 22.99	6 Mg 24.31	7 Al 19.00	8 Si 28.09	9 P 30.97	10 S 32.06	11 Cl 35.45	12 Ar 39.95	13 Al 10.81	14 Si 12.01	15 P 14.01	16 S 16.00	17 Cl 17.00	18 Ar 20.18	1 He 4.00				
		Metals	Metalloids	Nonmetals																				
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21		
		K	Ca	Sc	Ti	V	Cr	Mn	Fe	Co	Ni	Cu	Zn	Ga	Ge	As	Se	Br	Kr	Rb	Sr	Y		
		39.10	40.08	44.96	47.87	50.94	52.00	54.94	55.85	58.93	58.69	63.55	65.38	69.72	72.63	74.92	78.97	79.90	83.80	85.47	87.62	88.91		
		55	56	57	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89		
		72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92		
		19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39		
		19.02	20.06	21.01	22.01	23.01	24.01	25.01	26.01	27.01	28.01	29.01	30.01	31.01	32.01	33.01	34.01	35.01	36.01	37.01	38.01	39.01		
		58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78		
		Ce	Pr	Nd	Pm	Sm	Eu	Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	58	59	60	61	62	63	64		
		140.12	140.91	144.24	(145)	150.36	151.96	157.25	158.93	162.50	164.93	167.26	168.93	173.05	174.97	140.12	140.91	144.24	150.36	151.96	157.25	158.93	162.50	
		90	91	92	93	94	95	96	97	98	99	100	101	102	103	90	91	92	93	94	95	96	97	
		Th	Pa	U	Np	Pu	Am	Cm	Bk	Cf	Es	Fm	Md	No	Lr	Th	Pa	U	Np	Pu	Am	Cm	Bk	
		232.04	231.04	238.03	(237)	(244)	(243)	(247)	(247)	(251)	(252)	(257)	(258)	(259)	(262)	232.04	231.04	238.03	(237)	(244)	(243)	(247)	(247)	(251)
<small>Reprinted by permission of Chemistry: The Central Science, 2e, © 2021 W.H. Freeman and Company.</small>																								
<small>Reprinted by permission of Chemistry: The Central Science, 2e, © 2021 W.H. Freeman and Company.</small>																								
<small>Reprinted by permission of Chemistry: The Central Science, 2e, © 2021 W.H. Freeman and Company.</small>																								

The Meaning of Periodic


A calendar is periodic...

Sun	Mon	Tue	Wed	Thu	Fri	Sat
	1	2	3	4	5	6
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30	31			

Revell, *Introductory Chemistry*, 2e, © 2021 W. H. Freeman and Company

Groups and Periods


Groups (Families)



Abbreviations for the Elements

Name	Symbol	Name	Symbol	Latin Name
carbon	C	sodium	Na	<i>natrium</i>
hydrogen	H	iron	Fe	<i>ferrum</i>
magnesium	Mg	copper	Cu	<i>cuprum</i>
calcium	Ca	lead	Pb	<i>plumbum</i>

Blocks of Elements



Metals

Lie to the left on the periodic table

Lie to the left on the periodic table

Metals

transition metals

1A 1	2A 2											8A 18				
3 Li 6.94	4 Be 9.01											3A 13	4A 14	5A 15	6A 16	7A 17
5 Na 22.99	6 Mg 24.31	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
8 K 39.10	9 Ca 40.10	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35
11 Rb 85.47	12 Sr 87.61	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57
19 Cs 132.91	20 Ba 137.33	54.04	55.85	58.93	58.69	63.55	65.38	67.44	69.72	71.90	74.29	76.47	78.67	80.90	83.12	85.47
37 Fr (223)	38 Ra (226)	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89
40 K 39.10	41 Ca 40.10	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118
55 Rb 85.47	56 Sr 87.61	Rf (261)	Db (262)	Sg (263)	Bh (264)	Os (265)	Ir (266)	Pt (267)	Au (268)	Ct (269)	Hs (270)	Mt (271)	Fr (272)	Lv (283)		
58 Ce 140.12	59 Pr 140.91	60 Nd 144.24	61 Pm 147.14	62 Bh 243.00	63 Hs 269.00	64 Mt 270.00	65 Fr (252)	66 Dy 162.50	67 Ho 164.93	68 Er 167.26	69 Tm 168.93	70 Yb 173.05	71 Lu 174.97			
90 Th 232.04	91 Pa 231.04	92 U 238.03	93 Np (237)	94 Pu (244)	95 Am (243)	96 Cm (247)	97 Bk (247)	98 Cf (251)	99 Es (252)	100 Fm (257)	101 Md (258)	102 No (259)	103 Lr (262)			

Lanthanide series

Actinide series

Photo credits clockwise from left: (c) armachphoto / depositphotos.com; (c) scanrail / depositphotos.com; Daniel D Malone/Shutterstock; sumire8/Shutterstock

Nonmetals


^{1A}₁ Located in the upper-right side of the periodic table

Nonmetals are located in the upper-right side of the periodic table.


Photo credits left to right: (c) Richard Megna / Fundamental Photographs; sciencephotos / Alamy

Metalloids

Located between metals and nonmetals



Group 1A: Alkali Metals



Left top and middle: SPL Science Source; bottom: Andrew Lambert Photography/Science Source; right: Philip Evans/Getty Images

- Soft metals
- React violently with water

Group 2A: Alkaline Earth Metals

	1A	2A	3A	4A	5A	6A	7A	8A
1		Be 9.01						
2		Mg 24.31						
3	Ca 40.08							
4	Sr 87.62							
5	Ba 137.33							
6	Ra (226)							
7								

- Less reactive than group 1A
- burn brightly




Revised Introductory Chemistry, 2e, © 2021 W. H. Freeman and Company
Photo top to bottom: David J. Green/Alamy; Byssen/WykeStock/SP-Science Source

Group 7A: Halogens




	3A	4A	5A	6A	7A	8A
13						
14						
15						
16						
17						
18						

- diatomic molecules in elemental form
- Form many different compounds



Revised Introductory Chemistry, 2e, © 2021 W. H. Freeman and Company
Photo credit: iStockphoto.com/Barry

Group 8A: Noble Gases



- generally do not form compounds
- gases at room temperature

2	He	4.00
10	Ne	20.18
18	Ar	39.95
36	Kr	83.80



Uncovering Atomic Structure

- The atoms of each element are unique.
- Atoms combine in whole-number ratios to form compounds.
- Atoms are not created or destroyed in chemical reactions.

subatomic particles particles that make up atoms

Describing particles

Mass

atomic mass unit (u)

$$1 \text{ u} = 1.66 \times 10^{-27} \text{ kg}$$


hydrogen atom:
mass = 1.0 u

Charge

opposite charges attract




like charges repel



Volta


1800: The year that changed chemistry



Volta invents electrochemical cell (battery)


BeBa/Iberfoto/The Image Works

Separating Elements from Molecules




Revell, *Introductory Chemistry*, 2e, © 2021 W. H. Freeman and Company
Charles D. Winters/Science Source

Mendeleev's Periodic Table




Stock Montage/Getty Images

Identification of Charged Particles



Electron: a tiny, negatively-charged particle


Plum Pudding Model



Plum pudding model


envisioned negative electrons spread throughout a positively-charged material.

Ernest Rutherford




Rutherford's Conclusions

The atom is mostly empty space, with a dense nucleus at the center.



Model of an Atom




Beech, Introductory Chemistry, 2e, © 2021 W.H. Freeman and Company

The Volume of an Atom




Photo credit: Jim West / Alamy

Atomic Particles



Particle	Mass (u)	Charge
Proton		
Neutron		
Electron		

Atomic Particles, Continued



Particle	Mass (u)	Charge
Proton	1.0073	+1
Neutron	1.0087	--
Electron	0.0005	-1

Atomic Identity

The number of protons determines the identity of the atom.

- 1 proton – hydrogen
- 2 protons – helium
- 3 protons – lithium
- 4 protons – beryllium

Atomic Number and Mass Number

Atomic number

The number of protons in an atom

Also the number of electrons in a neutral atom

Mass number

The number of protons + neutrons

1	H	1.01
3	Li	6.94
11	Na	22.99
19	K	39.10

Isotopes

Have the same atomic number, but different mass number

Three isotopes of hydrogen:


Protium
1 proton
0 neutrons

Deuterium
1 proton
1 neutron

Tritium
1 proton
2 neutrons

Revell, Introductory Chemistry, 2e, © 2021
W. H. Freeman and Company

Writing Atomic Symbols




Helium:
2 protons
2 neutrons

^4_2He

Example of Writing Atomic Symbols

An important isotope of uranium has 92 protons and 143 neutrons. Write the symbol with the atomic and mass numbers.


$$92 + 143 = 235$$



average atomic mass

Average Atomic Mass

A weighted average of the different isotopes of an element.



Example of Weighted Average

We have a large number of poker chips. 10% of the chips are \$1 chips, and 90% are \$2 chips. What is the average value of the chips?

$$\text{average value} = (\text{value A} \times \text{fraction A}) + (\text{value B} \times \text{fraction B})$$

$$\begin{aligned}\text{average value of chips} &= (\$1 \times 0.10) + (\$2 \times 0.90) \\ &= \$1.9\end{aligned}$$

Example of Average Atomic Mass of Carbon

Carbon atoms exist primarily as two isotopes:

^{12}C : mass = 12.0000 u (98.93%)


^{13}C : mass = 13.0034 u (1.07%)

What is the average atomic mass for carbon?

Average mass of carbon

$$= (12.0000 \text{ u})(0.9893) + (13.0034 \text{ u})(0.0107)$$

$$= 12.01 \text{ u}$$




Summary of Atoms and Elements

- The protons determine the identity of the atoms
- **atomic number:** protons
- **mass number:** protons + neutrons
- **isotopes:** same number of protons, different neutrons
- The periodic table: atomic number and the average atomic mass.



Electrons – A Preview



Reilly, Introductory Chemistry, 2e, © 2011 W. H. Freeman and Company


History of the Atom, Part 1

Model	Year		Key Ideas
Dalton's Atomic Theory	1808		Atoms are indivisible particles.


History of the Atom, Part 2

Model	Year		Key Ideas
Dalton's Atomic Theory	1808		Atoms are indivisible particles.
Plum Pudding Model	1904		Negative electrons are spread through a positive matrix.

History of the Atom, Part 3

Model	Year		Key Ideas
Dalton's Atomic Theory	1808		Atoms are indivisible particles.
Plum Pudding Model	1904	 	Negative electrons are spread through a positive matrix.


History of the Atom, Part 4

Model	Year		Key Ideas
Dalton's Atomic Theory	1808		Atoms are indivisible particles.
Plum Pudding Model	1904		Negative electrons are spread through a positive matrix.
Bohr Model	1913		Electrons orbit the nucleus like planets orbit the sun.
Quantum Model	1920s		Electrons behave both as particles and as waves.

Ions, Part 1

Atoms gain or lose electrons to form *ions*.

Ion: An atom or group of atoms with an overall charge.




Ions, Part 2

Atoms gain or lose electrons to form *ions*.

Ion: An atom or group of atoms with an overall charge.

lithium atom
3 protons, 3 electrons

lithium ion:
3 protons, 2 electrons
net charge: +1




Ions, Part 3


Atoms gain or lose electrons to form *ions*.

Ion: An atom or group of atoms with an overall charge.

fluorine atom
9 protons, 9 electrons



fluoride ion:
9 protons, 10 electrons
net charge: -1



Example of Ions

Sulfur is atomic number 16. Sulfur atoms commonly form sulfide ions, which have a charge of -2. How many electrons are in the electron cloud of a sulfide ion?

sulfur atom:


16 protons
16 electrons

sulfide ion: (-2)


16 protons
18 electrons

16
S
32.06

Converting Between Temperature Units




Fahrenheit and Celsius



$$^{\circ}\text{F} = \frac{9}{5}^{\circ}\text{C} + 32$$


$$^{\circ}\text{C} = \frac{5}{9}(\text{°F} - 32)$$

The Three Temperature Scales



Revel, Introductory Chemistry, 2e, © 2021 W. H. Freeman and Company

Freezing Point on the Three Temperature Scales



$$K = ^\circ C + 273.15$$

“32 degrees Fahrenheit”

“0 degrees Celsius”

“273 kelvins”

Temperature Calculation

A refrigerator maintains an inside temperature of 42 °F.
Express this temperature in Celsius and in kelvins.

$$^{\circ}\text{C} = \frac{5}{9}(\text{°F} - 32)$$

$$^{\circ}\text{C} = \frac{5}{9}(42 - 32) = 5.6 \ ^{\circ}\text{C}$$

$$\text{K} = ^{\circ}\text{C} + 273.15$$

$$K = 5.6 + 273.15 = 278.75 \text{ K} = 278.8 \text{ K}$$